

Amendments to the Specification

At specification page 1/7, before the paragraph beginning with "[t]his is a nationalization of," insert the following heading:

CROSS-REFERENCE TO RELATED APPLICATION

At specification page 1/7, before the paragraph beginning with "[t]he invention concerns," insert the following headings:

BACKGROUND OF THE INVENTION

1. Field of Invention

At specification page 1/7, before the paragraph beginning with "[p]rocesses of this kind," insert the following heading:

2. Description of the Prior Art

At specification page 2/7, before the paragraph beginning with "[t]herefore the task of the present invention," insert the following heading:

SUMMARY OF THE INVENTION

At specification page 3/7, before the paragraph beginning with "[f]urther design forms of the invention," insert the following heading:

BRIEF DESCRIPTION OF THE DRAWINGS

At specification page 3/7, before the paragraph beginning with "[t]he figures 1 and 2 illustrate," insert the following heading and paragraph:

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Further scope of applicability of the present invention will become apparent from the detailed description given hereinafter. However, it should be understood that the detailed description and specific examples, while indicating preferred embodiments of the invention, are given by way of illustration only, since various changes and modifications within the spirit and scope of the invention will become apparent to those skilled in the art from this detailed description.

At specification page 5/7, replace the paragraph beginning with "Figure 3 illustrates" with the following replacement paragraph:

Figure 3 illustrates once again the device illustrated in figure 2 whereby a reversing device 100 is depicted. After the sheets ± 7, 17 have run through the squeezing device 3 they run together past the lead rollers 101, the first deflecting roller 102, the first air turning bar 103, the second deflecting roller 104 and the second air turning bar 105. Finally the sheets 7, 17 reach the outfeed roller 106, which is a stationary roller that does not participate in the reversing process. Subsequently the sheets 7, 17 are fed to further processing devices or storage

devices (not illustrated in the figure). The distance between the sheets 7, 17 from the squeezing device is illustrated as rather large in order to clarify that they are two sheets. During the winding process of the sheets, they can be wound up individually or together.

At specification page 6/7, after the last line, insert the following paragraph:

The invention being thus described, it will be apparent that the same may be varied in many ways. Such variations are not to be regarded as a departure from the spirit and scope of the invention, and all such modifications as would be recognized by one skilled in the art are intended to be included within the scope of the following claims.

At specification page 1/3 (i.e., the first claims page), replace the heading with the following replacement heading:

~~Patent Claims~~ WHAT IS CLAIMED IS: